



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/608,757	06/27/2003	Yao Wang	EMC-01-141CIP2	7174
24227 7590 01/06/2010 EMC CORPORATION OFFICE OF THE GENERAL COUNSEL 176 SOUTH STREET HOPKINTON, MA 01748			EXAMINER ADAMS, CHARLES D	
			ART UNIT	PAPER NUMBER
			2164	
			MAIL DATE	DELIVERY MODE
			01/06/2010 PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/608,757

Applicant(s)

WANG ET AL.

Examiner

CHARLES D. ADAMS

Art Unit

2164

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 08 October 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/CD)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Remarks

1. In response to communications filed on 8 October 2009, claims 1, 6, 10, and 14 are amended. Claims 1-17 are pending in the application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sicola et al. (US Pre-Grant Publication 2004/0064639) in view of Endo et al. (US Patent 6,073,126) and further in view of Dervin et al. (US Pre-Grant Publication 2002/0133727).

As to claim 1, Sicola et al. teaches:

A data transfer server (see paragraphs [0049] and [0054]);

a primary software agent hosted on said data storage system comprising independent storage devices, said primary software agent, in communication with the data transfer server, the primary software agent configured for performing data transfer operations in response to commands from the data transfer server (see paragraphs [0049], "storage array controllers", [0058], "remote copy set operation", and [0050],

which teaches 'host' and 'disaster-tolerant' paths. Also see paragraph [0054], which discusses software running on the hosts, that is used for dynamic failover between storage paths);

One or more failover software agents, each failover software agent residing on a host, in communication over a network with the primary software agent, the data transfer server, and at least one of the two data storage systems, the failover software agents being remote from the primary software agent (see paragraphs [0049]-[0051], [0054] and Figure 2. All storage subsystems and all hosts are visible to each other over the SAN. Therefore, as they are connected by various network components, they are remote),

Sicola et al. does not explicitly teach and wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems;

a failover protocol for determining an order in which said software agents, within a communication path of a data transfer, are designed to take over the data transfer operation and the software agent designated to take over the data transfer operation executes scripts residing on the host with a failed primary software agent to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said protocol being determined during a configuration of said computer architecture.

Endo et al. teaches

wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems (see Figures 10 and 18A and 18B. Also see 14:38-43 and 15:8-20);

a failover protocol for determining an order in which said software agents, within a communication path of a data transfer, are designed to take over the data transfer operation (see 15:8-20 and 22:63-23:57 and Figures 18A-18C) and the software agent designated to take over the data transfer operation executes scripts to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said protocol being determined during a configuration of said computer architecture (see 15:8-20 and 22:63-23:57 and Figures 18A-18C).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Endo et al. provides the benefit of executing a plurality of process scripts upon occurrence of one event, which makes multi-error recovery possible (see 4:10-13).

Endo et al. as does not teach:

the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications;

Dervin et al. teaches:

the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications (see paragraphs [0026] and [0048]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Dervin et al. provides the benefit of avoiding the errors that occur with automated script-running, such as continuous restarts, enabling the system of Sicola et al. to increase system availability and reduce operator intervention (see paragraphs [0010]-[0011]).

As to claim 2, Sicola et al. as modified teaches wherein the data transfer operation is a replication of data within the data storage environment (see Sicola et al. paragraph [0058]).

As to claim 3, Sicola et al. as modified teaches wherein server commands to the software agents are sent over a network in accordance with an IP protocol (see Sicola et al. paragraph [0053]).

As to claim 4, Sicola et al. as modified teaches wherein the software agents communicate with the at least one data storage system over the network in accordance with a Fibre Channel protocol (see Sicola et al. paragraph [0052]).

As to claim 5, Sicola et al. as modified teaches wherein a predetermined hierarchal relationship is followed by the data transfer server to select the order in which the failover software agents are commanded to take over the work of the one or more determined failed software agents (see Endo et al. 22:63-23:57 and Figures 18A-18C).

As to claim 6, Sicola et al. teaches:

A data replication management server (see paragraphs [0049] and [0054]);

A software agent, designated as primary software agent, hosted on said data storage system, said data storage system comprising independent storage devices, said primary software agent, in communication with at least one of the two data storage systems and the data replication management server, the primary software agent configured for performing data replication operations in response to commands from the data replication management server (see paragraphs [0049]-[0050], [0054], and paragraph [0058]);

One or more failover software agents, each failover software agent residing on a host, in communication over a network with the primary software agent, the data replication management server, and at least one of the two data storage systems, the failover software agents being remote from the primary software agent (see paragraphs [0049]-[0051], [0054] and Figure 2)

Sicola et al. does not explicitly teach and wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications,

wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems;

a failover protocol for determining an order in which said software agents, within a communication path of a data transfer, are designated to take over the data transfer operation and the software agent designated to take over the data transfer operation executes scripts residing on the host with a failed primary software agent to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said protocol being determined during configuration of said computer architecture.

Endo et al. teaches

wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems (see Figures 10 and 18A and 18B. Also see 14:38-43 and 15:8-20);

a failover protocol for determining an order in which said software agents, within a communication path of a data transfer, are designated to take over the data transfer operation (see 15:8-20 and 22:63-23:57 and Figures 18A-18C) and the software agent designated to take over the data transfer operation executes scripts to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said

protocol being determined during a configuration of said computer architecture (see 15:8-20 and 22:63-23:57 and Figures 18A-18C).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Endo et al. provides the benefit of executing a plurality of process scripts upon occurrence of one event, which makes multi-error recovery possible (see 4:10-13).

Endo et al. as does not teach:

the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications;

Dervin et al. teaches:

the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications (see paragraphs [0026] and [0048]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Dervin et al. provides the benefit of avoiding the errors that occur with automated script-running, such as continuous restarts, enabling the system of Sicola et al. to increase system availability and reduce operator intervention (see paragraphs [0010]-[0011]).

As to claim 7, Sicola et al. as modified teaches wherein server commands to the software agents are sent over a network in accordance with an IP protocol (see paragraph [0053]. An "Internet Link" would inherently use an "IP protocol").

As to claim 8, Sicola et al. as modified teaches wherein the software agents communicate with the at least one data storage system over the network in accordance with a Fibre Channel protocol (see paragraph [0052]).

As to claim 9, Sicola et al. as modified teaches wherein the data replication management server uses a predetermined hierarchal relationship to select the order in which designated ones of the failover software agents are commanded to take over the work of the one or more determined failed software agents (see Endo et al. 22:63-23:57 and Figures 18A-18C).

As to claim 10, Sicola et al. teaches a method for managing fault-tolerant resources for replication of data stored in a data storage environment including at least two data storage systems, and wherein data is replicated (see paragraph [0058]) from one of the at least two data storage systems to at least one other data storage system of the at least two data storage systems (see paragraph [0049]), and at least one software agent in communication with at least one data replication management server for managing the fault tolerant resources (see paragraph [0049]), the method comprising:

configuring one or more software agents as failover agents, each failover software agent residing on a host, that are in remote communication over a network with another software agent, designated as primary software agent,

a host which is also in communication with the data replication management server, and at least one of the two data storage systems (see Sicola et al. paragraphs [0049]-[0051], [0054] and [0058])

Sicola et al. does not teach and wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems;

establishing a failover protocol for determining an order in which said software agents, within a communication path of the data transfer, are designated to take over the data transfer operation and the software agent designated to take over the data transfer operation executes scripts residing on the host with a failed primary software agent to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said protocol being determined during configuration of said computer architecture.

Endo et al. teaches wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems (see Figures 10 and 18A and 18B. Also see 14:38-43 and 15:8-20);

establishing a failover protocol for determining an order in which said software agents, within a communication path of the data transfer, are designated to take over

the data transfer operation (see 15:8-20 and 22:63-23:57 and Figures 18A-18C) and the software agent designated to take over the data transfer operation executes scripts to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined, said protocol being determined during configuration of said computer architecture (see 15:8-20 and 22:63-23:57 and Figures 18A-18C).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Endo et al. provides the benefit of executing a plurality of process scripts upon occurrence of one event, which makes multi-error recovery possible (see 4:10-13).

Endo et al. does not teach the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications;

Dervin et al. teaches the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications (see paragraphs [0026] and [0048]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Dervin et al. provides the benefit of avoiding the errors that occur with automated script-running, such as continuous restarts, enabling the system of Sicola et al. to increase system availability and reduce operator intervention (see paragraphs [0010]-[0011]).

As to claim 11, Sicola et al. as modified teaches wherein server commands to the software agents are sent over a network in accordance with an IP protocol (see Sicola et al. paragraph [0053]).

As to claim 12, Sicola et al. teaches wherein the software agents communicate with the at least one data storage system over the network in accordance with a Fibre Channel protocol (see Sicola et al. paragraph [0052]).

As to claim 13, Sicola et al. as modified teaches wherein the data replication management server uses a predetermined hierarchical relationship to select the order in which designated ones of the failover software agents is commanded to take over the work of the one or more determined failed software agents (see Endo et al. 22:63-23:57 and Figures 18A-18C).

As to claim 14, Sicola et al. as modified teaches:

A data replication management server (see paragraphs [0049] and [0054]);

A software agent, designated as primary software agent, hosted on said data storage system, said primary software agent in communication with at least one of the two data storage systems and the data replication management server, the primary software agent configured for performing data replication operations in response to commands from the data replication management server (see paragraphs [0049]-[0050], [0054] and [0058]);

One or more failover software agents, each failover software agent residing on a host, in communication over a network with the primary software agent, the data replication management server, and at least one of the two data storage systems, the failover software agents being remote from the primary software agent (see paragraphs [0049]-[0051], [0054] and Figure 2);

Sicola et al. does not explicitly teach and wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems;

a computer-executable program for carrying out a failover protocol for determining an order in which said software agents, within a communication path of the data transfer, are designated to take over the data transfer operation and the software agent designated to take over the data transfer operation executes scripts residing on the host with a failed primary software agent to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined.

Endo et al. teaches wherein each of said failover software agents is configured to execute scripts residing on the host to control host applications, wherein said primary software agent further represents a failover software agent for another of said primary software agents in another one of said data storage systems (see Figures 10 and 18A and 18B. Also see 14:38-43 and 15:8-20);

a computer-executable program for carrying out a failover protocol for determining an order in which said software agents, within a communication path of the data transfer, are designated to take over the data transfer operation (see 15:8-20 and 22:63-23:57 and Figures 18A-18C) and the software agent designated to take over the data transfer operation executes scripts to control host applications transparent to replications running in response to one or more data transfer commands when a failure of one or more of said software agents is determined (see 15:8-20 and 22:63-23:57 and Figures 18A-18C).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Endo et al. provides the benefit of executing a plurality of process scripts upon occurrence of one event, which makes multi-error recovery possible (see 4:10-13).

Endo et al. does not teach the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications;

Dervin et al. teaches the software agent designated executes scripts residing on the host with a failed primary software agent to control host applications (see paragraphs [0026] and [0048]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified Sicola et al. by the teachings of Endo et al., because Dervin et al. provides the benefit of avoiding the errors that occur with automated script-running, such as continuous restarts, enabling the system of Sicola et

al. to increase system availability and reduce operator intervention (see paragraphs [0010]-[0011]).

As to claim 15, Sicola et al. as modified teaches wherein server commands to the software agents are sent over a network in accordance with an IP protocol (see paragraph [0053]. An "Internet Link" would inherently use an "IP protocol").

As to claim 16, Sicola et al. as modified teaches wherein the software agents communicate with the at least one data storage system over the network in accordance with a Fibre Channel protocol (see paragraph [0052]).

As to claim 17, Sicola et al. as modified teaches wherein the data replication management server uses a predetermined hierarchal relationship to select the order in which designated ones of the failover software agents are commanded to take over the work of the one or more determined failed software agents (see Endo et al. 22:63-23:57 and Figures 18A-18C).

Response to Arguments

4. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHARLES D. ADAMS whose telephone number is (571)272-3938. The examiner can normally be reached on 8:30 AM - 5:00 PM, M - F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Rones can be reached on (571) 272-4085. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C. D. A./
Examiner, Art Unit 2164

/Charles Rones/
Supervisory Patent Examiner, Art Unit 2164